



Quick Start Guide

SK-DVR-DIY-CVI



Scan QR code for complete version user manual

Lifetime Tech Support | 1 Year US-Based Warranty

1-866-514-8998

9am-5pm CST, Monday-Friday

Support@poedepot.com

DIY Kits Setup Instructions

****Total 4 boxes: DVR box*1, Camera box*2, Accessories box*1 (at the bottom)**



1. Connect each camera to the 65ft power and video cables.
2. Connect the 1-to-4 power splitter to the power adapter (in the accessories box). ****NOTE: Accessories box is under all other boxes.**
3. Plug the video (yellow) connector to the DVR, and plug the power (red) connector to the 1-to-4 power splitter.
4. Plug the power adapter (in the DVR box) to the DVR.
5. Connect DVR with monitor by using VGA or HDMI cable.
6. Connect DVR to your router using an Ethernet cable.
7. Plug the mouse into USB port on the DVR.
8. Plug both power adapters into wall outlet.
9. Turn on the power switch on the back of the DVR (if applicable).

Initial Settings

1. Boot up device, which will display device initialization interface.
2. Setup password for **admin** (default username).
3. Set security questions and click "OK."

Quick Settings

The startup and configuration wizards can guide you through the basic settings to get the device working properly.

1. Login with default username **admin** and the password you created.
2. Set language, date, time, and timezone.
3. Choose the **“DHCP”** network mode.



4. Follow page 4 (**App Setup-Simpliview**) and add your device with the device serial number (SN) to add the DVR to your smartphone.




5. Leave the Encode settings as default.
6. Schedule time and mode of recording for each channel (check page 6, **Schedule**), and click **“Finished.”**

App Setup – Simpliview Require to connect DVR to network


1. Scan the QR code below and download **“Simpliview.”**





2. Open Simpliview, choose **CAMERA**.
3. Tap  at the top left corner for the main menu.
4. Tap **Device Manager**, tap **“+”** in the top-right corner to add device.



5. Select **Wired Device -> P2P.**




6. Input your device name, click  and scan/input the device SN.
- To find the device SN:
Right click mouse -> Main Menu -> Setup -> Network -> P2P



7. Input your admin password and then click **“Start Live Preview”**.

Schedule

- Enter Schedule interface:
Right click mouse -> Main Menu -> Setup -> Storage -> Schedule




- Select the channel you want to set.
- Set record type: Regular (Continuous) or Motion Detection.
- Draw manually to set record period, or click  to set period in different interface.




Motion Detection

Motion detection allows you to save hard drive space and maximize recording time by only recording when motion is detected in selected areas.

1. Enter Motion Detection interface:
Right click -> Main Menu -> Setup -> Event -> Motion Detection




2. Select the channel you want to set, click **“Set”**.
3. Drag your mouse to set motion detection region. The red section is the area you want to detect motion.



4. Right click mouse to exit current interface, click **“Apply”** then **“Save”** to complete motion detection setting.

Playback

1. Enter Playback interface:
Right click mouse -> Main Menu -> Search.



2. Use the left mouse button to select the date, view type, and camera channels (it is recommended to view one channel at a time for optimal performance). The time bar below should display available recordings for the chosen cameras and date.
3. To start playback, double-click the desired area of the time bar.